

Custom Design Logo Mat Company Logo Floor Mat


Reference Pictures for Item# DK-2000



Reference Picture for Printing



Reference Picture for 4mm Nylon Pile



Reference Pictures for 2mm Rubber Backing



Other Pile Options for Choice:

Pile Options:

DETAILS

1

Item#: DK-2450
Pile Weight: 450g/sqm
Pile Height: 3mm



2

Item#: DK-2000
Pile Weight: 600g/sqm
Pile Height: 4mm



3

Item#: DK-2200
Pile Weight: 700g/sqm
Pile Height: 5mm



4

Item#: DK-2300
Pile Weight: 950g/sqm
Pile Height: 7mm



Back Options:

DETAILS


1

Normal Rubber
Weight: 2,000g/sqm



2

Nitrile Rubber
Weight: 1,800g/sqm



3

TPR
Weight: 900g/sqm



Different Packing Methods for Choice:



Method 1

Several pieces flatting in woven bag
Economic method for small size mats like 50x70cm, 50x80cm,60x90cm etc...



Method 2

One piece rolling in woven bag
Economic method for big size mats like 83x120cm, 90x150cm,100x200cm etc...



Method 3

Many pieces flatting on pallet
Economic method for big size mats like 83x120cm, 90x150cm,103x150cm etc...



Method 4

Several pieces flatting in carton
Popular method for small size mats like 40x60cm, 50x70cm,60x90cm etc...



Method 5

1 pc/roll, several rolls in carton
Popular method for big size mats like 83x120cm, 90x150cm,100x200cm etc...



Method 6

1 pc/roll/color box, then in carton
Luxury method for customized design packing to show off brand

Certificates for This Product:

<p>Intertek TEST REPORT No. : 22P0480222</p> <p>1. Tests Conducted (As Requested By The Applicant): 1.1 Carpet Flammability (ASTM E 651) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 651) (See Table 1) 1.2 Smoke Density (ASTM E 1361) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 1361) (See Table 1)</p> <p>2. Test Results (As Requested By The Applicant): 2.1 Carpet Flammability (ASTM E 651): 10000: Pass 1000: Pass 100: Pass 10: Pass</p> <p>2.2 Smoke Density (ASTM E 1361): 10000: Pass 1000: Pass 100: Pass 10: Pass</p>	<p>Intertek TEST REPORT No. : 22P0480222</p> <p>3. Tests Conducted (As Requested By The Applicant): 3.1 Carpet Flammability (ASTM E 651) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 651) (See Table 1) 3.2 Smoke Density (ASTM E 1361) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 1361) (See Table 1)</p> <p>4. Test Results (As Requested By The Applicant): 4.1 Carpet Flammability (ASTM E 651): 10000: Pass 1000: Pass 100: Pass 10: Pass</p> <p>4.2 Smoke Density (ASTM E 1361): 10000: Pass 1000: Pass 100: Pass 10: Pass</p>	<p>SGS TEST REPORT No. : 22P0480222</p> <p>5. Tests Conducted (As Requested By The Applicant): 5.1 Carpet Flammability (ASTM E 651) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 651) (See Table 1) 5.2 Smoke Density (ASTM E 1361) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 1361) (See Table 1)</p> <p>6. Test Results (As Requested By The Applicant): 6.1 Carpet Flammability (ASTM E 651): 10000: Pass 1000: Pass 100: Pass 10: Pass</p> <p>6.2 Smoke Density (ASTM E 1361): 10000: Pass 1000: Pass 100: Pass 10: Pass</p>	<p>SGS TEST REPORT No. : 22P0480222</p> <p>7. Tests Conducted (As Requested By The Applicant): 7.1 Carpet Flammability (ASTM E 651) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 651) (See Table 1) 7.2 Smoke Density (ASTM E 1361) - Test No. 10, 100, 1000 and 10000 (at 1000 and 10000) (ASTM E 1361) (See Table 1)</p> <p>8. Test Results (As Requested By The Applicant): 8.1 Carpet Flammability (ASTM E 651): 10000: Pass 1000: Pass 100: Pass 10: Pass</p> <p>8.2 Smoke Density (ASTM E 1361): 10000: Pass 1000: Pass 100: Pass 10: Pass</p>
--	--	---	---

Related Products



Heavy Duty Branded Door Mat

Creating your own design !!!

MOQ: 1 pc

[Click to know more detail >>>>](#)



Logo Printing PVC Coil Mat

Creating your own design !!!

MOQ: 500 m²

[Click to know more detail >>>>](#)



Luxury Custom Shape Floor Rug

Creating your own design !!!

MOQ: 500 m²

[Click to know more detail >>>>](#)



Economic Promotional Logo Mat

Creating your own design !!!

MOQ: 500 m²

[Click to know more detail >>>>](#)



Motorcycle Carpet

Creating your own design !!!

MOQ: 1 pc

[Click to know more detail >>>>](#)



Kids Play Mat

Creating your own design !!!

MOQ: 500 m²

[Click to know more detail >>>>](#)



Dart Game Mat

Creating your own design !!!

MOQ: 500 pcs

[Click to know more detail >>>>](#)



Golf Putting Mat

Creating your own design !!!

MOQ: 500 pcs

[Click to know more detail >>>>](#)

Our Company

Our Company

Shenzhen Dotcom Houseware Products. Co., Ltd. is one of the professional manufacturers of logo floor mats with more than ten years' experiences in this line. We can help you find the best type of logo mat based on the complexity of your design and its intended function, our logo mat covers a full range of types including nylon logo mat, acrylic logo mat, polyester logo mat, water-hold logo mat, 3D-logo mat, etc... We can also supply many other kinds of mat, such as solution-dyed nylon door mat, water-hold entrance mat, stair mat, cotton door mat, chevron door mat, double stripped door mat, anti-fatigue mat, and so on. With professional management, equipments, raw material base development and strict quality control, we offer the highest quality flooring products, which are very popular in Europe, America, Australia, Mideast, etc.

No matter you are new to this line or already professional, and no matter what quality or target price you are looking for, just feel free to contact us. With an easy access to first hand information, our team will offer you positive feedback for every inquiry within twelve hours.

Thank you!

FAQ

1. Is there a minimum order quantity?

No, we produce starting from one piece. An ideal order quantity for production would be 100sqm or more.

2. What's the size for a logo mat?

Our mats come in Standard widths of 43, 60, 70, 83, 103, 136, 200cm including the rubber border. The maximum width is 200cm, and the length can be 1800cm. Special widths and shapes are subject to a surcharge.

3. Where is the colors used for the mats?

We have no limitation about the color. You could just pick up your colors from pantone card. Maximal colors on one mat could be 12.

4. Is the color of the mat easy to fade?

This nylon mat is inkjet printed very deeply into the bottom of the fiber, which is commonly used for outdoor areas, such as a store or market entrance. As testing on the color fastness, it has passed the Four degree under ISO 105 standard, so the color is not easy to fade.

5. How to provide the design?

As to the format of the design, AI, PCX, JPG, PDF are ok. Please advise the pantone number for

each color, so that the color can be matched accordingly.

6. How to get a free sample?

We can send a sample swatch with our existing design for quality reference, if price and quality is ok, you can release the bulk order first and arrange the deposit at the same time, then we will make a pre-production sample for approval before the mass production. Usually this way is preferable, as it can save the sample cost and time.

7. How much does a custom design sample cost?

Usually we charge USD100/size/design for small size mat (about 0.5sqm), USD150/size/design for medium size mat (about 1 sqm), while for big size mat (around 2 sqm), it's USD200/size/design.

8. Samples availability for product evaluation

We're glad to provide some sample swatches 20x30cm free of charge, you just need to pay for the freight cost. Please let me know if you have a carrier express account for us to use, so the parcel can be sent via "freight collect". If you do not have any account, we would calculate the freight cost and issue an invoice to you for payment arrangement, then the parcel can be sent via "freight prepaid" after the payment received. But we must receive the payment in full amount

9. About payment term.

For order which amount less than USD3,000, we prefer 100% in advance, while for order amount over that, it would be 30% deposit, and 70% before shipment.

10. About the lead time

Usually the sample lead time is around 15 days after payment received and artwork confirmed. For mass production, it is about 40-45 days after receipt of deposit and sample approved.