Nowadays, the drum instrument is more and more popular. However, when the player is on showing, the drum may move and even case the big noise.


Now we're glad to recommend our drum logo mat to you, which can solve upon problems. Meanwhile, it is also a great idea to promote company's image with your custom design, combining the benefits of a drum floor mat with an eye-catching design that can enhance branding and marketing efforts.



Drum Logo Mat:

Pattern#2: Nylon Pile


Dyes are permanently injected deep into the nylon pile so that they will not "rub off"



Nylon Loop pile can absorb water effectively

A Business with no sign is a sign of No Business!

Pattern#2: Latex Backing



Overlocking can prevent surface peeling off.



Drum Logo Mate

Pattern#3: Nylon Pile

Dyes are permanently injected deep into the nylon pile so that they will not "rub off"



Nylon Loop pile can absorb water effectively

A Business with no sign is a sign of No Business!

Pattern#3: TPR Backing



Overlocking can prevent surface peeling off.



Certification:

ITTC		Was Rust, Fergeler Datist Burghel, Orie	Meets	-		lehyde content (mg
	Test					Not detectable
et Report No. 28704010		ITTC	No.396, Gampeon Rand, Pangaran Datrict Ste			
and Information:		Med Stranberry S.	Tel (He 21) 2753 4800 Fee (He 21) 37	12.4814		1
	041		5 TM-0007 AA 300792-4 X55 PRG-0022 A	A-707377-2,60		
	N Contract Trace	14184-1.2010				/
-	net Hangborg				Not detect	able
e Cartad Parson U Ch	angen -	h	uldahyda contest (mg/ kg)	REA Long		
Contacto Paracel Kann	• L	Main volue	Nabeuchála			
ple Receive Date/Text Start Date	250913	N	1			
pte information by applicant		No. Not de	time 1 mil	wandle		a month
N No	070890240709					
in Name Bully		· De standard nove à performed à	No 2 Kinds			
in Delle Blange 1931			e stock adultor is certified by Hoch-Conge			
etal Postural III.						2XP
na Description 1. F		set:				Hora
riel Balth Number/Freduction Date		 Halse below 18 ppm & reported as 	Nor-detectuble:			00000
ton Post	utten Test			100000000000000000000000000000000000000	CON	FIDENCE
yie Desi bia			Ar To 105 TM 0007 AA 300792-4 105 PBG	-9682.AA-757277-3.	11.1 7	EVTUES 000
MARKE IN THE	34704010	3071: 2005, extract by detilled water)				EATILES
		100	Volue	REALING	Torted for	harmful substances
	Care -		65	/		
					according to	Oeko-Tex® Standard 100
	00	reperature of extracting solution. 2 pH of distilled woter	21		ZHGO 069	166 TESTED
		pros annas von				
Belled						
satisfycle contact in holds, 800141	941				CERTIFIC.	
elue in lexitie, (603071					STEM CENTIFICATION	
01					60	
Vinner V			-End of Report			
Westman						
Ceneral Hanager						
r such autorists mint is the amarke order to Copyright of the automatical second is for	and and and					100
					53 HRD1:2004 _SC	
					S	
Research No. 20/50010					2	
					00	
					1.2 00	
					-<004	
			Text Report No. 35/700110 Proje 2 of 2			