We have been customizing and selling logo mats for more than 10 years. We provide services to customers from all over the world. The United States and Europe are our main markets. We have been enjoying a good reputation in the carpet market since our establishment. We have developed a variety of different materials to choose from. Hand Tufted Carpets Novelty Area Rug is the most popular one. It is handmade from 4.5 lbs/m² acrylic pile and 700g/m² cloth on the back. By the way, the MOQ is only 1 piece. Many brands buy logo mats from us every year, such as Adidas, Subway, Honda, Vans, Yamaha, etc. They are very satisfied with our services and products.

Please see more details as below:


Item Name	Hand Tufted Carpets Novelty Area Rug
Pile Material	4.5/5.5lbs per square meter Acrylic
Backing Material	700g per square meter Cloth
MOQ	1рс
Lead Time	30-40days
Technics	Hand tufted
Multi Functions	Home decorations, holiday gifts, entrance door mat, hotel carpet, etc.

Hand Tufted Rug is made by punching threads of acrylic into a canvas that is stretched on a frame by using a hand operated tufting gun. Rug is made from premium acrylic with backing of cloth to make it highly durable and high-end.

Made from heavy acrylic, features strong ability of water absorption and fast absorbing speed, which will dry out your wet faster than any other ordinary doormats, even the water-drop and greasy dirt, never pollute your floor.

Our doormats are suitable for placing at the door of your kitchen, bedroom, living room, dining room, bathroom, porch, staircase, office and any indoor or outdoor place.

Clean Method: Water hose wash or vaccum clean only.





Material:Acrylic pile + Cloth backing Thickness:12mm Weight: 4kg/sqm No color limitation

• Product Details





Very thick, made by hand!



## YOU GIVE US A DESIGN WE TURN IT INTO A RUG





## **FAQ**

Q: What is the technic of Hand Tufted Carpets Novelty Area Rug?

A: It is hand tufted with acrylic pile and cloth backing.

Q: What is customization process?

A: Customization Process is as below:

- 1. Customized consultation: Provide product requirements, drawings and color code information
- 2. Proofing confirmation: Make samples after confirming requirements
- 3. Order confirmation: Order confirmation after sample acceptance
- 4. Produce goods: Batch production after receiving payment
- 5. Delivery acceptance: Order delivery, customer acceptance of goods