

Nowadays, the drum instrument is more and more popular. However, when the player is on showing, the drum may move and even case the big noise.

Now we're glad to recommend our drum logo mat to you, which can solve upon problems. Meanwhile, it is also a great idea to promote company's image with your custom design, combining the benefits of a drum floor mat with an eye-catching design that can enhance branding and marketing efforts.

## Drum Logo Mat:

*A Business with no sign is a sign of No Business!*

### Pattern#1: Nylon Pile

Dyes are permanently injected deep into the nylon pile so that they will not "rub off"



Nylon Loop pile can absorb water effectively

### Pattern#1: Non-woven Backing with Dot

Non-woven with dots makes mats more anti-slip



Overlocking can prevent surface peeling off.

- Make more comfortable and safe when playing the drum
- Non-woven backing covered with dots to avoid slidin
- Stylish and mutiple designs for your option




## Drum Logo Mat:

*A Business with no sign is a sign of No Business!*

### Pattern#2: Nylon Pile


Dyes are permanently injected deep into the nylon pile so that they will not "rub off"



Nylon Loop pile can absorb water effectively

### Pattern#2: Latex Backing

Latex Backing makes mats more anti-slip



Overlocking can prevent surface peeling off.

- Make more comfortable and safe when playing the drum
- Latex backing to avoid slidign
- Stylish and mutiple designs for your option



## Drum Logo Mat:

*A Business with no sign is a sign of No Business!*

### Pattern#3: Nylon Pile


Dyes are permanently injected deep into the nylon pile so that they will not "rub off"



Nylon Loop pile can absorb water effectively

### Pattern#3: TPR Backing

TPR Backing makes mats more anti-slip



Overlocking can prevent surface peeling off.

- Make more comfortable and safe when playing the drum
- TPR backing to avoid slidign
- Stylish and mutple designs for your option



# Certification:

**ITTC**  
No. 390 Gongwen Road, Fengxian District Shanghai, China 201413  
Tel: (86-21) 5755 4800 Fax: (86-21) 5755 4819

**Test Report No. 26796010**

**Client Information:**  
Supplier No. 26000  
Client Company Name: L. Chengwei  
Contact Address: No. 110, Gongwen Road, Fengxian District, Shanghai  
Client Contact Person: Kenneth  
WEA Contacts Person: Kenneth  
Sample Receive Date/Test Start Date: 25/09/13

**Sample information by applicant:**  
Article No. 802407089240709  
Article Name: Bulging  
Article Date Stamp: 1311  
Material Producer: /  
Material Description: /  
Material Batch Number/Production Date: /  
Test type: Production Test  
Sample Class: Blue

**Test Method:**  
Formaldehyde content in textile, ISO 14184-1  
pH value in textile, ISO 3071

**Determination Of Formaldehyde (Refer To ISO 14184-1, AA-300792-4, ISO 180-0032, AA-707372-2, ISO 14184-1, 2011)**

Formaldehyde content (mg/kg)		WEA Limit
Mean value	Not detectable	/
No.	1	2
Individual value	Not detectable	Not detectable

**Remarks:**  
• The standard curve is performed within 2 months.  
• The concentration of formaldehyde stock solution is certified by Hach-Lange.

**Determination Of pH Of Aqueous Extract (Refer To ISO 14184-1, AA-300792-4, ISO 180-0032, AA-707372-2, ISO 3071: 2005, extract by distilled water)**

pH Value		WEA Limit
6.5		/

Temperature of extracting solution,  $^{\circ}$ C: 24  
pH of distilled water: 6.18

End of Report

Test Report No. 26796010 Page 2 of 2

Formaldehyde content (mg/kg)

Not detectable

1

Not detectable

once a month

