



Why Choose Us?



Factory

We've passed BSCI's audits and we are committed to the benefits of society.



Certificate

Oeko-Tex Standard 100, ISO9001, ISO14001 certified, all of our mats are eco-friendly.



Quality

Supplier to IKEA, ALDI, LIDL for more than 10 years. Our quality can be guaranteed.



Assurance

Alibaba Trade Assurance to make sure on-time ship & quality safeguard.

Características:

- 1) oferecem o conforto eo estilo
- 2) Decoração e revitalizar o quarto
- 3) O presente perfeito para as crianças para aniversários ou apenas por diversão
- 4) Ter alfabetos, animais, números etc impressos na esteira, ideal para a educação
- 5) Máquina de medida para qualidade de longa duração

Perfect gift to children

*Ideal for
education*



Just for fun



*Decorating
the room*



Product Show



Offer both the comfort and the style



Nylon pile

图案色彩鲜艳逼真;采用先进
印染工艺,环保染料,水洗不掉色;

Pattern color fidelity; the use of advanced
Printing and dyeing process, environmental protection dye, washing
does not fade;



Latex backing

Back the skid resistant particles unique, accor-
ding to Specially designed pattern arrangement,
the super slippery but not Corrosion floor.



Alphabet Series:



Number Series:



Country Road Series:



Cartoon Series:



Happy Girl Series:



World Mat Series:



CPSIA Test

Intertek

Test Report

Number: SZHH00770117

Applicant: SHENZHEN DOTCOM HOUSEWARE PRODUCTS CO., LTD.
RM 627, XIANKE MACHINERY-ELECTRICAL BLDG, BAGUA 4TH RD, SHENZHEN, CHINA 518029

Date: Mar 29, 2013

Sample Description:

Three (3) pieces of submitted sample said to be:
Item Name: Children Play Rug
Item No: N0468/DK-2300R
Reference No: 12967
Labelled Age Group: Not specified
Packaging Provided by: No
Applicant: Dotcom Industrial (HK) LTD.
Vendor: China
Country of Origin: China



Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

To be continued

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.

Ben N.L. Lin
General Manager

Intertek Testing Services Shenzhen Ltd.-TFH Division
TFH, Shenzhen Technology Park Building, Industrial Ten Road, Shenzhen, China
Tel: (86-755) 2602 0111 Fax: (86-755) 2602 71169 Postcode: 518062
Attention is drawn to the terms and conditions printed overleaf.

Page 1 of 7

Intertek

Test Report

Number: SZHH00770117

Conclusion:

Tested Samples Submitted samples	Standard - U.S. ASTM F963-11 Physical and mechanical tests	Result Pass
Tested components of submitted samples	Flammability test of materials other than textile materials	Pass
Tested components of submitted samples	Heavy elements test	Pass
Tested Samples Submitted samples	Standard U.S. Code of Federal Regulations Title 16 CFR 1303 for total Lead content in surface coating	Result Not Applicable
Tested components of submitted samples	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in surface coating	Not Applicable
Tested components of submitted samples	U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for Total Lead content in Non-surface coating materials (substrate)	Pass
Tested components of submitted samples	US Consumer Product Safety Improvement Act 2008 Title I, Sec 108 requirement on phthalate	Pass

Authorized by:
For Intertek Testing Services
Shenzhen Ltd.

Ben N.L. Lin
General Manager

Intertek Testing Services Shenzhen Ltd.-TFH Division
TFH, Shenzhen Technology Park Building, Industrial Ten Road, Shenzhen, China
Tel: (86-755) 2602 0111 Fax: (86-755) 2602 71169 Postcode: 518062
Attention is drawn to the terms and conditions printed overleaf.

Page 2 of 7

Flammability Test & Heavy Element Test:

Intertek

Test Report

Number: SZH00770117

Tests Conducted

3 Heavy Elements Analysis (except modelling clay)

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, acid extraction method was used and heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

	Result (ppm)	Limit (ppm)
	(4)	ppm
Sol. Barium (Ba)	<5	1000
Sol. Lead (Pb)	<5	90
Sol. Cadmium (Cd)	<5	75
Sol. Antimony (Sb)	<5	60
Sol. Selenium (Se)	<5	500
Sol. Chromium (Cr)	<5	60
Sol. Mercury (Hg)	<5	60
Sol. Arsenic (As)	<2.5	25

Sol. = Soluble
ppm = parts per million

Tested component: See component list in the last section of this report

Date sample received: Mar 21, 2013
Testing period: Mar 21, 2013 to Mar 22, 2013

4 Total Lead (Pb) Content

As per Section 4.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, test method CPSC-CH-E1001-08.1, CPSC-CH-E1002-08.1 or/and CPSC-CH-E1003-09.1 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Non-surface coating

Tested Component	Result (ppm)	Limit (ppm)
(1/2/3)	<10	100
(4)	<10	100

ppm = parts per million

Tested components: See component list in the last section of this report

Assessment: Since no scrapable surface coating was found on the submitted samples, the testing scope for surface coating was not applicable to the submitted samples.

Date sample received: Mar 21, 2013
Testing period: Mar 21, 2013 to Mar 22, 2013

Intertek

Test Report

Number: SZH00770117

Tests Conducted

Section	Testing Items	Assessment
4.32	Certain toys with nearly spherical ends	NA
4.33	Marbles	NA
4.34	Balls	NA
4.35	Pom-poms	NA
4.36	Hemispheric-shaped objects	NA
4.37	Yoyo elastic tether toys	NA
4.38	Magnets	NA
4.39	Jaw entrapment in handles and steering wheels	NA
5	Labelling requirement	P
6	Instructional literature	P
7	Producer's markings	No
	- Name of producer/distributor	No
	- Address	No

Remark: The submitted samples were undergone the tests in accordance with section 8.5 through section 8.18 and 8.20 through 8.26 on normal use, abuse and specific tests for different types of toys whichever is applicable.

P = Pass NA = Not Applicable

The final product or its packaging must be marked with the name and address of the producer or distributor as specified in section 7.1 of U.S. ASTM F963-11.

Date sample received: Mar 21, 2013
Testing period: Mar 21, 2013 to Mar 22, 2013

2 Flammability Test

As per section 4.2 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-11, the sample was tested according to Annex A5 Flammability Testing Procedure for Solids and Soft Toys.

Result: Ignited but self-extinguished before burn rate could be determined

Date sample received: Mar 21, 2013
Testing period: Mar 21, 2013 to Mar 22, 2013